

**MCTARNAHANS®**



## ABSORBENT BLUE LOTION

ABSORBENTE LOCION BLUE

A counter-irritant liniment in a thick non-greasy form to be used as an aid in the temporary relief of minor soreness and stiffness caused by overexertion.

Un linimento anti-irritante en una forma que es gruesa y no grasa para uso como ayuda en el alivio temporal de rigidez y dolor leve causado por el sobre esfuerzo.

Net Contents: One Gallon (3.8 L)  
Contenido Neto: Un Galón (3,8 L)

PRODUCTS WITH A  
WINNING TRADITION



## ABSORBENT BLUE LOTION

### INDICATIONS:

To be used as an aid in the temporary relief of minor soreness and stiffness caused by overexertion.

### DIRECTIONS:

CLEANSE AFFECTED AREA BEFORE APPLICATION. Apply to affected areas one or two times daily. May be used under absorbent cotton and bandages. For a greater sweating effect, place plastic wrap on the outside of the cottons.

### ACTIVE INGREDIENTS:

Methyl Salicylate.....3.0%  
Menthol.....1.7%  
Camphor.....1.7%

### INACTIVE INGREDIENTS:

Deionized Water, Glyceryl Stearate, Isopropyl Alcohol, Sorbitol, Carbomer, Triethanolamine, Methyl Paraben, Propyl Paraben, FD & C Blue#1.

### CAUTION:

Use only as directed. Do not take internally. Discontinue use if excessive irritation develops. Do not apply to already irritated skin. Consult your Veterinarian if redness and/or swelling increases. Avoid eyes and mucus membranes. Not for use on horses intended for food.

FOR EXTERNAL EQUINE USE ONLY  
KEEP OUT OF REACH OF CHILDREN

### INDICACIONES:

Para uso como ayuda en el alivio temporal de dolor leve y rigidez causado por el sobre esfuerzo.

### INSTRUCCIONES:

LIMPIE LA ZONA AFECTADA ANTES DE APLICAR. Aplique a la zona afectada una o dos veces cada día. Se puede utilizar debajo de algodón y vendajes. Para un efecto más fuerte de sudación, coloque una envoltura de plástico en el exterior de las prendas de algodón.

### INGREDIENTES ACTIVOS:

Methyl Salicylate.....3.0%  
Menthol.....1.7%  
Camphor.....1.7%

### INGREDIENTES INACTIVOS:

Deionized Water, Glyceryl Stearate, Isopropyl Alcohol, Sorbitol, Carbomer, Triethanolamine, Methyl Paraben, Propyl Paraben, FD & C Blue#1.

### ADVERTENCIA:

Utilice únicamente según las indicaciones. Solo para uso externo. Si se desarrolla una irritación excesiva, discontinue el tratamiento. No aplique a la piel ya irritada. Consulte a un veterinario si hay un aumento en enrojecimiento y la inflamación. Evite el contacto con los ojos y las membranas mucosas. No lo use en caballos destinados a la alimentación.

SÓLO PARA USO EXTERNO EQUINO  
MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS



MANUFACTURED IN USA FOR JACKS INC. WASHINGTON C.H. OHIO 43160